

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**  
(Case No. 04-567)

In the Application of:	)	
	)	
Jibing Zheng	)	Examiner: Aaron B. Colquitt
	)	
Serial No. 10/501,055	)	
	)	Group Art Unit: 3735
Filed: July 9, 2004	)	
	)	Conf. No. 1667
Title: Spatial Field Effect Physical Therapy Device	)	

**REPLY TO REQUIREMENT TO FILE CORRECTED FIGURES 4-5**

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

On October 2, 2007 the examiner issued a Notice of Allowance for the above-identified application. The Notice of Allowance was made conditional upon the Applicant filing Replacement Sheets for Figures 4-5.

Attached to this Reply are Replacement Sheets for Figures 4-5. The attached replacement sheets include the best shading available for the Figures. Also, the replacement sheets include English language text as the examiner required.

The attached Figure sheets are marked "Replacement Sheet". The attached replacement sheets are believed to constitute a complete response to the examiner's requirement for Replacement Sheets for Figures 4-5.

Respectfully submitted,  
**McDonnell Boehnen Hulbert & Berghoff**

Dated: April 14, 2008

By: /A. Blair Hughes/  
A. Blair Hughes  
Reg. No. 32,901